

HNZYT-VI-RC/HI-0002/01



221601060139

2022/06/23 11:17

2022 年 6 月 23 日 11 时 17 分

检测单位 委托检测

检测机构 洛阳圣丰和检测技术有限公司

项目名称 洛阳圣丰和检测技术有限公司

检测项目 洛阳圣丰和检测技术有限公司

检测地点 洛阳圣丰和检测技术有限公司

检测日期 2022



河南省质量监督检验研究院有限公司



地址: 450000

电话: 0371-66666666

网址: www.hnqia.com

邮编: 450000

地址: 郑州市高新技术开发区经三路55号5楼501室 邮编: 450000

声 明

一、本报告未加“**湖南有德隆检测技术有限公司检测检测专用章**”和**检测专用章**

二、本报告无编制人、审核人和签发人签字无效。

四、本报告内容经涂改、增删无效。

五、本报告单位名称可改为“**湖南有德隆检测技术有限公司**”

六、本报告未加“**湖南有德隆检测技术有限公司检测检测专用章**”和**检测专用章**

检测报告

检测类别	委托检测	采样日期	2024年1月5日
检测类别	室内	分析日期	2024年1月30日-22日
检测项目	甲醛、二甲苯、甲苯、乙苯、苯乙烯、苯、甲苯+乙苯+二甲苯+苯	检测方法	分光光度法、气相色谱-质谱法、气相色谱-质谱法、气相色谱-质谱法、气相色谱-质谱法、气相色谱-质谱法
检测机构	北京中安检测技术有限公司	检测机构	北京中安检测技术有限公司

Figure 1 is a schematic representation of the experimental design. It features a horizontal timeline from 1990 to 2000. Above the timeline, a bar chart displays the 'Number of studies' (y-axis, 0 to 10) for each year. The bars show a peak in 1995 (10 studies) and a general decline thereafter. Below the timeline, a line graph also displays the 'Number of studies' (y-axis, 0 to 10) for each year. The line graph shows a steady increase from 1990 (1 study) to 2000 (10 studies).

危险源	危险源描述	危险源类型	危险源等级	危险源控制措施	危险源状态
1. 火灾	1.1 火灾危险源描述：火灾危险源是指由于各种原因引起的火灾事故，造成人员伤亡和财产损失。1.2 火灾危险源类型：火灾危险源分为电气火灾、化学火灾、机械火灾、生物火灾、核火灾等。1.3 火灾危险源等级：火灾危险源等级分为一级、二级、三级、四级、五级、六级、七级、八级、九级、十级。1.4 火灾危险源控制措施：火灾危险源控制措施包括火灾预防、火灾报警、火灾扑救、火灾调查等。1.5 火灾危险源状态：火灾危险源状态分为正常、异常、故障、失效、报废等。	火灾危险源	一级	火灾危险源控制措施：火灾预防、火灾报警、火灾扑救、火灾调查等。	正常

所用出的量測儀器均按規定進行檢定或校準，並在有效期限內。

Figure 6

[illegible]

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2016. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

► *How to Use This Book*

四、維護和平力量

[illegible]

拾 捌 垓 生

检测地点/位置	检测时间/日期	检测项目/名称	检测结果	执行标准	单位
		09:00-10:00 (瞬时样品)	<10		无量纲
		11:00-12:00 (瞬时样品)	<10		无量纲
		13:00-14:00 (瞬时样品)	<10		无量纲
		15:00-16:00 (瞬时样品)	<10		无量纲
		17:00-18:00 (瞬时样品)	<10		无量纲

15:00-16:00 0.46 mg/m³

13:00-14:00 0.219

09:00-10:00 0.61

11:00-12:00 0.47

13:00-14:00 0.54

15:00-16:00 0.38

2.0

检测报告

续上表

检测项目	检测时段	检测结果	执行标准	单位	检测点位	检测时间
PM ₁₀	09:00-10:00	0.005	GB 3095-2012	mg/m ³	1#	2023-10-27
	11:00-12:00	0.006		mg/m ³		

Genus	Number of species per genus (n)	Value (mg/m²)
C. (100.00%)	0	0.06
C. (100.00%)	1	0.06
C. (100.00%)	2	0.06
C. (100.00%)	3	0.06
C. (100.00%)	4	0.06
C. (100.00%)	5	0.06
C. (100.00%)	6	0.06
C. (100.00%)	7	0.06
C. (100.00%)	8	0.06
C. (100.00%)	9	0.06

采样时间	采样点	采样深度	采样结果	备注
08:00-10:00	0.006	1.0	mg/m ³	非甲烷总烃
13:00-14:00	0.219	1.0	mg/m ³	非甲烷总烃
15:00-16:00	0.216		mg/m ³	
09:00-10:00	0.56		mg/m ³	
11:00-12:00	0.62	1.0	mg/m ³	非甲烷总烃

Figure 1: A 3D scatter plot showing the distribution of 1000 simulated data points in a 3D space defined by axes x_1 , x_2 , and x_3 . The points are colored by density, with a color bar on the right ranging from 0.00 to 0.05. The plot shows a dense cluster of points in the center, with a few outliers at the extremes of the x_1 and x_2 axes.

